

# Journal of Magnetic Resonance

---

EDITOR: Wallace S. Brey, Jr.

EDITORIAL BOARD:

David C. Ailion  
E. Raymond Andrew  
Michael Barfield  
Edwin D. Becker  
Richard Ernst  
Ray Freeman  
R. K. Harris  
David I. Hoult  
James S. Hyde

Hans J. Jakobsen  
Charles S. Johnson, Jr.  
J. Jonas  
Reinhold Kaiser  
Robert Kaptein  
Lowell Kispert  
Gerd La Mar  
Gary E. Maciel  
R. E. D. McClung

Bruce McGarvey  
D. T. Pegg  
Rex E. Richards  
A. Rigamonti  
Ian C. P. Smith  
E. O. Stejskal  
Robert L. Vold  
D. E. Woessner

Volume 70, 1986



**ACADEMIC PRESS, INC.**

Harcourt Brace Jovanovich, Publishers

San Diego Orlando New York Austin Boston

London Sydney Tokyo Toronto

Copyright © 1986 by Academic Press, Inc.

All Rights Reserved

No part of this publication may be reproduced or transmitted in any form or by any means, electronic or mechanical, including photocopy, recording, or any information storage and retrieval system, without permission in writing from the copyright owner.

The appearance of the code at the bottom of the first page of an article in this journal indicates the copyright owner's consent that copies of the article may be made for personal or internal use, or for the personal or internal use of specific clients. This consent is given on the condition, however, that the copier pay the stated per copy fee through the Copyright Clearance Center, Inc. (27 Congress Street, Salem, Massachusetts 01970), for copying beyond that permitted by Sections 107 or 108 of the U.S. Copyright Law. This consent does not extend to other kinds of copying, such as copying for general distribution, for advertising or promotional purposes, for creating new collective works, or for resale. Copy fees for pre-1986 articles are as shown on the article title pages; if no fee code appears on the title page, the copy fee is the same as for current articles.

0022-2364/86 \$3.00

MADE IN THE UNITED STATES OF AMERICA

# CONTENTS OF VOLUME 70

NUMBER 1, OCTOBER 15, 1986

GÜNTER GRAMPP AND GÜNTER STIEGLER. Application of the Density-Matrix Formalism to the Simulation of Kinetic ESR Spectra of Intermolecular Electron-Transfer Reactions . . . . .	1
DAVID J. LURIE. Numerical Design of Composite Radiofrequency Pulses . . . . .	11
R. E. COFFMAN AND A. PEZESHK. Analytical Considerations of Eatons' Formula for the Interspin Distance between Unpaired Electrons in ESR . . . . .	21
EDWARD W. ABEL, TIMOTHY P. J. COSTON, KEITH G. ORRELL, VLADIMIR ŠIK, AND DAVID STEPHENSON. Two-Dimensional NMR Exchange Spectroscopy. Quantitative Treatment of Multisite Exchanging Systems . . . . .	34
OLE W. SØRENSEN, NIELS CHR. NIELSEN, HENRIK BILDSØE, AND HANS J. JAKOBSEN. Determination of Radiofrequency Field Strengths and Proton Multiplicities by Two-Dimensional NMR Pulse Techniques . . . . .	54
PETER PFÄNDLER AND GEOFFREY BODENHAUSEN. Automated Analysis of Two-Dimensional NMR Spectra of Mixtures by Pattern Recognition . . . . .	71
H. E. RORSCHACH AND C. F. HAZLEWOOD. Protein Dynamics and the NMR Relaxation Time $T_1$ of Water in Biological Systems . . . . .	79
MOON B. YIM AND MARVIN W. MAKINEN. ENDOR Study of $Gd^{3+}$ Complexes in Frozen Solutions . . . . .	89
H. KESSLER, H. OSCHKINAT, C. GRIESINGER, AND W. BERMEL. Transformation of Homonuclear Two-Dimensional NMR Techniques into One-Dimensional Techniques Using Gaussian Pulses . . . . .	106
I. HEYNDERICKX, H. DE RAEDT, AND D. SCHOEMAKER. Simulated Anneal Method for the Determination of Spin Hamiltonian Parameters from ESR Data . . . . .	134
NOTES	
JONATHAN S. BOGAN AND THOMAS JUE. A Computer-Controlled Attenuator for Indirect Detection Experiments . . . . .	140
REGITZE R. VOLD AND ROBERT L. VOLD. Nyquist Frequency Extension by Interleaved Data Acquisition . . . . .	144
SUBRAMANIAN GANAPATHY AND ROBERT G. BRYANT. Carbon-13 Spectral Line Broadening in Paramagnetic Solids . . . . .	149



N. MURALI, K. CHANDRASEKHAR, AND ANIL KUMAR. Use of 45° Pulse Pair as a Filter for Pure-Phase Two-Dimensional NMR Spectroscopy	153
--	-----

# COMMUNICATIONS

SHIGERU MATSUI AND HIDEKI KOHNO. NMR Imaging with a Rotary Field Gradient	157
I. JANE COX, GRAEME M. BYDDER, DAVID G. GADIAN, IAN R. YOUNG, EDWARD PROCTOR, STEPHEN R. WILLIAMS, AND IAN HART. The Effect of Magnetic Susceptibility Variations in NMR Imaging and NMR Spectroscopy <i>in Vivo</i>	163
A. W. H. JANS, E. M. OSSELTON, C. P. EYKEN, B. GRIEWEL, AND J. CORNELISSE. The Structure Elucidation of 1,2,8,9,10,11-Hexafluoro- <i>endo</i> -tetracyclo[6.3.0.0 <sup>2,11</sup> .0 <sup>3,7</sup> ]undec-9-ene by Means of <sup>19</sup> F NMR COSY Techniques	169
O. DOBBERT, T. PRISNER, AND K. P. DINSE. Single-Channel Quadrature FT ESR	173
DAVID M. DODDRELL, GRAHAM J. GALLOWAY, WILLIAM M. BROOKS, JAMES FIELD, J. MARK BULSING, MICHAEL G. IRVING, AND HIRAM BADDELEY. Water Signal Elimination <i>in Vivo</i> , Using "Suppression by Mistimed Echo and Repetitive Gradient Episodes"	176
M. ROBIN BENDALL, DAVID FOXALL, BRENDA G. NICHOLS, AND J. RUSSELL SCHMIDT. Complete Localization of <i>in Vivo</i> NMR Spectra Using Two Concentric Surface Coils and rf Methods Only	181

## NUMBER 2, NOVEMBER 1986

T. T. NAKASHIMA AND R. E. D. MCCLUNG. Simulation of Two-Dimensional NMR Spectra Using Product Operators in the Spherical Basis	187
G. BARBARELLA, C. CHATGILIALOGLU, S. ROSSINI, AND V. TUGNOLI. <sup>33</sup> S and <sup>17</sup> O NMR of Compounds Containing the SO <sub>2</sub> Moiety. The Chlorine Effect	204
ANU SHETH, M. RAVIKUMAR, AND R. V. HOSUR. Application of <i>J</i> Scaling in Two-Dimensional Spin-Echo-Correlated Spectroscopy to Observation of Small Coupling Correlations	213
E. ROMMEL, K. MISCHKER, G. OSSWALD, K. H. SCHWEIKERT, AND F. NOACK. A Powerful NMR Field-Cycling Device Using GTOs and MOSFETs for Relaxation Dispersion and Zero-Field Studies	219
MITSUYOSHI MATSUO, SHIGENOBU MATSUMOTO, SHIRO URANO, AND KAZUO MUKAIO. Electron Spin Resonance Spectra and Hyperfine Coupling Constants of the [ <sup>13</sup> C]α-Tocopheroxyl (the [ <sup>13</sup> C]Vitamin E Radical) and [ <sup>13</sup> C]2,2,5,7,8-Pentamethylchroman-6-oxyl Radicals (Its Model Radical)	235

CHAOHUI YE, BOQIN SUN, AND GARY E. MACIEL. Inhomogeneous Interactions in Rotating Solids .....	241
R. BOSCAINO, F. M. GELARDI, AND R. N. MANTEGNA. Spectral Diffusion and Saturation Kinetics in Inhomogeneous Systems .....	251
R. BOSCAINO, F. M. GELARDI, AND R. N. MANTEGNA. The Experimental Detection of Spectral Diffusion by the Saturation Transient Method ...	262
HANS WIDMER AND KURT WÜTHRICH. Simulation of Two-Dimensional NMR Experiments Using Numerical Density Matrix Calculations ....	270
TSUNEKI ICHIKAWA. Microcomputer-Controlled Pulse Generator for an Electron Spin-Echo Spectrometer .....	280

## NOTES

DENIS PIVETEAU, MARC ANDRÉ DELSUC, AND JEAN-YVES LALLEMAND. "BOWMAN": A Versatile Simulation Program for High-Resolution NMR Multipulse Experiments .....	290
ROMAN GOC AND DANIEL FIAT. Simple Pulse Sequence for Suppression of the Acoustic Ringing in FT NMR .....	295
J. C. SARTORELLI, J. A. OCHI, AND W. SANO. EPR Lineshape Function for $Ni^{2+}$ .....	299
PETER SMITH, KIRK R. MAPLES, AND REUBEN N. DIAZ. EPR Study of Radicals Derived from Five-Carbon Alkenenitriles .....	303
P. DUBOIS MURPHY. Pulse Sequence to Minimize Artifacts from Long Radiofrequency Pulses in CP/MAS NMR .....	307
JINTONG MAO, T. H. MARECI, K. N. SCOTT, AND E. R. ANDREW. Selective Inversion Radiofrequency Pulses by Optimal Control .....	310

## COMMUNICATIONS

DAVID M. DODDRELL, J. MARK BULSING, GRAHAM J. GALLOWAY, WILLIAM M. BROOKS, JAMES FIELD, MICHAEL IRVING, AND HIRAM BADDELEY. Discrete Isolation from Gradient-Governed Elimination of Resonances. DIGGER, a New Technique for <i>in Vivo</i> Volume-Selected NMR Spectroscopy .....	319
AD BAX, VLADIMÍR SKLENÁŘ, AND MICHAEL F. SUMMERS. Direct Identification of Relayed Nuclear Overhauser Effects .....	327
KENNETH S. LEE AND GARETH A. MORRIS. Hydrogen-Carbon-Carbon Relay as an Alternative to the INEPT-INADEQUATE Experiment for Unprotonated Carbons .....	332
ERIK R. P. ZUIDERWEG, KLAAS HALLENGA, AND EDWARD T. OLEJNICZAK. Improvement of 2D NOE Spectra of Biomacromolecules in $H_2O$ Solution by Coherent Suppression of the Solvent Resonance	336



PHILIP H. BOLTON. Image Analysis of Proton Two-Dimensional Chemical-Shift-Correlation Spectra by Application of Symmetry Rules .....	344
M. P. HALL AND P. J. HORE. Computer-Optimized Solvent Suppression .....	350
STEVEN F. DEC, ROBERT A. WIND, GARY E. MACIEL, AND FRANK E. ANTHONIO. High-Speed Magic-Angle Spinning .....	355

### NUMBER 3, DECEMBER 1986

G. J. BOWDEN AND W. D. HUTCHISON. Tensor Operator Formalism for Multiple-Quantum NMR. 3. Spin-1 Nuclei with an Asymmetry Term in the Quadrupole Hamiltonian .....	361
M. BROK, G. T. BABCOCK, A. DE GROOT, AND A. J. HOFF. EPR Spectral Simulation Program for Nonoriented and Partly Oriented Systems. Application to an Immobilized Semiquinone Cation Radical .....	368
V. VITI, E. MASSARO, L. GUIDONI, AND P. BARONE. The Use of the Maximum Entropy Method in NMR Spectroscopy .....	379
LUNG-FA KAO AND VICTOR J. HRUBY. Suppression or Differentiation of Solvent Resonance by a Combination of DEFT with a Two-Dimensional Sequence .....	394
GARY L. TURNER, KAREN ANN SMITH, R. JAMES KIRKPATRICK, AND ERIC OLDFIELD. Structure and Cation Effects on Phosphorus-31 NMR Chemical Shifts and Chemical-Shift Anisotropies of Orthophosphates .....	408
ALAN D. RONEMUS, ROBERT L. VOLD, AND REGITZE R. VOLD. Deuterium Quadrupole Echo NMR Spectroscopy. II. Artifact Suppression .....	416
A. S. ARSENIYEV, A. G. SOBOL, AND V. F. BYSTROV. $T_1$ Relaxation Measurement by Two-Dimensional NMR Spectroscopy .....	427
H. SCHLEMMER AND U. HAEBERLEN. Signs of Deuteron Quadrupole Coupling Constants from COSY-2D Spectra of Solids .....	436
Y. AYANT, N. KERNEVEZ, A. THEVAND, L. G. WERBELOW, M. CULCASI, G. GRONCHI, AND P. TORDO. ESR Linewidths and the Structure of Diphosphine Radical Cations .....	446


### NOTES

S. K. HOFFMANN, L. S. SZCZEPANIAK, AND E. SZCZEPANIAK. Second-Moment Tensor and Vector for the Case of the 10/3 Effect .....	452
JAN PELNÁŘ. Measurement of the Distribution of $B_1$ Field in the Presence of Linear Magnetic Field Gradient .....	456
PAOLO LAZZERETTI AND J. A. TOSSELL. Near Equivalence of Axial and Equatorial $^{19}\text{F}$ NMR Chemical Shifts and NQR Coupling Constants in $\text{PF}_5$ .....	461

DAVID L. TURNER. The Application of Time Reversal to the Generation of Pure Absorption Lineshapes in Heteronuclear Shift-Correlation Spectra .....	465
VAGN LANGER, PREBEN DAUGAARD, AND HANS J. JAKOBSEN. Ultrahigh Spinning Rates for a 7 mm Rotor in Multinuclear CP/MAS NMR Spectroscopy of Solids .....	472
K. M. MORDEN AND S. J. OPELLA. Selective Spin Exchange (SELEX) in High-Resolution Solid-State NMR .....	476
DAVID HOFFMAN AND RAJ K. GUPTA. NMR Measurement of Intracellular Water Volume .....	481
KIARAN KIRK, JULIA E. RAFTOS, AND PHILIP W. KUCHEL. Triethyl Phosphate as an Internal $^{31}\text{P}$ NMR Reference in Biological Samples .....	484

## COMMUNICATIONS

JOSEPH GRANOT. Selected Volume Excitation Using Stimulated Echoes (VEST). Applications to Spatially Localized Spectroscopy and Imaging .....	488
S. MACURA, B. T. FARMER II, AND L. R. BROWN. An Improved Method for the Determination of Cross-Relaxation Rates from NOE Data .....	493
GOTTFRIED OTTING, HANS SENN, GERHARD WAGNER, AND KURT WÜTHRICH. Editing of 2D $^1\text{H}$ NMR Spectra Using X Half-Filters. Combined Use with Residue-Selective $^{15}\text{N}$ Labeling of Proteins ...	500
FENG NI AND HAROLD A. SCHERAGA. Phase-Sensitive Spectral Analysis by Maximum Entropy Extrapolation .....	506
JAMES S. HYDE, A. JESMANOWICZ, W. FRONCISZ, J. BRUCE KNEELAND, THOMAS M. GRIST, AND NICHOLAS F. CAMPAGNA. Parallel Image Acquisition from Noninteracting Local Coils .....	512
A. M. THAYER AND A. PINES. Composite Pulses in Zero-Field NMR .....	518
MEETINGS AND ANNOUNCEMENTS .....	523
CURRENT PUBLICATIONS IN MAGNETIC RESONANCE .....	524
AUTHOR INDEX FOR VOLUME 70 .....	526
CUMULATIVE SUBJECT INDEX FOR VOLUMES 66-70 .....	528



Digitized by the Internet Archive  
in 2023 with funding from  
Kahle/Austin Foundation



## Information for Authors

The *Journal of Magnetic Resonance* includes papers dealing with the theory, techniques, methods of spectral analysis and interpretation, spectral correlations, and results of magnetic resonance spectroscopy and related fields. The Editor seeks the assistance of expert referees in the evaluation of manuscripts of articles, but he alone is responsible for the final decision concerning acceptance.

Original papers only will be considered. Manuscripts are accepted for review with the understanding that the same work has not been published, that it is not under consideration for publication elsewhere, and that its submission for publication has been approved by all of the authors and by the institution where the work was carried out; further, that any person cited as a source of personal communications has approved such citation. Written authorization may be required at the Editor's discretion. Articles and any other material published in the *Journal of Magnetic Resonance* represent the opinions of the author(s) and should not be construed to reflect the opinions of the Editor and the Publisher.

Authors submitting a manuscript do so on the understanding that if it is accepted for publication, copyright in the article, including the right to reproduce the article in all forms and media, shall be assigned exclusively to the Publisher. The Publisher will not refuse any reasonable request by the author for permission to reproduce any of his or her contributions to the journal.

**A signed photocopy of the copyright assignment form which appears following this "Information" should be submitted to the Editor along with each manuscript. (This form will not be binding if the manuscript is not accepted for publication in the *Journal of Magnetic Resonance*.)**

Fifty reprints of each paper are supplied without charge, and additional reprints may be ordered on a form that is sent to the authors with the proofs that the authors receive. The journal *assesses no page or publication charges*.

All manuscripts and books for review should be sent to the Editor, **Wallace S. Brey, Department of Chemistry, University of Florida, Gainesville, Florida 32611.**

### Communications and Notes

Communications are preliminary accounts of work which, in the Editor's judgment, merit expedited publication because of special novelty or general interest. A Communication must be especially carefully prepared. Since it may not be refereed and the author will not receive galley proofs for correction, it is the responsibility of the author to ensure that the manuscript as submitted is free of typographical or substantive errors. The length of a Communication should be no more than that corresponding to five printed pages. Notes are complete accounts of work of limited scope.

Communications and Notes require no abstract and are not divided into sections.

### Form of the Manuscript

Manuscripts should be submitted in triplicate. The original typewritten copy should be supplied; printout from a computer is acceptable only if it is of "letter quality." All typing must be double-spaced, including references, footnotes, and figure captions, on one side of paper approximately 22 × 28 cm (8.5 × 11 in.). Each page of the manuscript should be numbered. If the paper is lengthy, it may be divided into sections, but the sections should not be numbered. The first line of each paragraph is indented.

**Cover Page.** The first page contains the article title, the author's name, the laboratory where the work was done, and the address of the laboratory. At the bottom of this page should appear any footnotes to the title (indicated by superscript \*, †, ‡).



*Abstract.* The second page of the manuscript for each regular paper should contain an abstract of 50–200 words, summarizing the nature and results of the research described. The abstract must be completely self-contained, having no references to items appearing in the body of the manuscript.

*Equations, Symbols, and Abbreviations.* Mathematical equations and symbols must be typewritten wherever possible. Equation numbers are given in *square* brackets to the right of the equation, and references in the text to equations should be in the form “Eq. [3].” Greek letters may be identified in pencil in the margin. Other nonstandard mathematical symbols should be clearly identified, in a separate list if necessary. Symbols for vectors and tensors should be clearly marked. The American Chemical Society’s Style Guide, 1986, or the *Style Manual of the American Institute of Physics* should be consulted for standard abbreviations, names, and symbols for units, as well as for important suggestions about grammar, style, and usage.

*References.* Literature references are cited in numerical order in the text by *in-line, parenthesized, italic numerals*. References to “unpublished” or “to be published” work from the author’s laboratory should not be given. However, papers actually accepted may be referred to as “in press” if the name of the journal is included.

The references themselves are to be typed double-spaced on a separate sheet in numerical order. Each reference contains the author’s initials, last name, journal name, volume, initial page number, and year in parentheses, *in that order*. The name of the journal is abbreviated in the style of *Chemical Abstracts Service Source Index*, 1985. For book references, the form is author’s name, name of the book in quotation marks, editor’s name (if any), edition if other than the first, chapter or page number, publisher’s name, place of publication, and year of publication.

*Footnotes.* Authors are urged to give careful thought to the logical construction of the manuscript, so that explanatory or parenthetical footnotes need not be employed. Any footnotes which are indispensable are not intermixed with references, but are indicated in the text by consecutive, superscript numerals, and each footnote will then appear in the print at the bottom of the page on which it is cited. In the manuscript, any footnotes to be included are gathered together in numerical order on a separate page.

*Tables.* Tables are numbered consecutively with Arabic numerals and are mentioned in order in the text. Each table should be laid out carefully, so that minimum space is used and entries are accurately grouped and clearly labeled. Usually, a table should be arranged vertically, with more rows than columns. Vertical lines are not used to separate the columns. Each table is provided with a title and typed on a separate sheet of paper. Footnotes to the tables are placed directly below it and are indicated by superscript, lowercase, italic letters (<sup>*a,b,c*</sup>).

*Figures and Diagrams.* Figures are numbered consecutively with Arabic numerals and are mentioned in order in the text. They must be carefully drawn in black, waterproof drawing ink, to draftsman’s standards, with lettering by stencil or drawing machine. Freehand, penciled, or typewritten lettering is not acceptable. Lettering should include numerical scales and units for the two axes, and should be large enough to be legible after reduction of 50–60%. Legends are to be typed together on a separate sheet. Small figures must be mounted on sheets of full manuscript page size. Larger originals must be photographically reduced to page size and glossy high-contrast prints of this size must be supplied by the author. The original and two duplicates of each figure are required. Ink drawings should also be supplied for complex molecular formulas or diagrams which the printer cannot readily set in type. Illustrations in color can be accepted only if the authors defray the cost.